

MATERIAL SAFETY DATA SHEET

MSDS Name: PL(R) FI:X(R) TOUCH UP STIK Repair Pencil  
MSDS Number: sP20281  
Version Number 2  
Revision Date: OCT-13-2005  
Page Number: 1

---

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: PL(R) FI:X(R) TOUCH UP STIK Repair Pencil  
HMIS Hazard Rating: Health: 0 Fire: 1 Reactivity: 0 PPE:

Company Identification: HENKEL CONSUMER ADHESIVES  
7405 PRODUCTION DRIVE  
MENTOR OH 44060

Contact (24 hour): Customer Affairs (800)321-0253  
Information phone/Fax: (440) 255-8900 / (440) 974-8358  
CHEMTREC Emergency (24 hour): (703) 527-3887 (International)  
(800) 424-9300  
in Canada CANUTEC 613-996-6666

Product Class WOOD FILLER  
Trade Name PL Brands  
Product Code --

SECTION II - INGREDIENT AND HAZARD INFORMATION

Hazardous Ingredient Name	CAS Number	Percent	TSCA
---------------------------	------------	---------	------

No OSHA hazardous ingredients known at this time.

---

SECTION III - PHYSICAL AND CHEMICAL PROPERTIES

Form: WAX STICK  
Appearance/Color: WOOD COLORS  
Odor: none  
Solubility (in water): NONE  
pH Value, +/- .3: Not Applicable  
Boiling Range: 650.°F (343.33°C)  
Vapor Pressure (mmHg): Not Applicable  
Evaporation Rate: Non Volatile  
  
Vapor Density: Non Volatile  
  
% Volatile, Weight 0.%  
% Volatile, Volume 0.%  
Specific Gravity: 0.97  
VOC (less H2O or exempt) N/A

---

MATERIAL SAFETY DATA SHEET

MSDS Name: PL(R) FI:X(R) TOUCH UP STIK Repair Pencil  
MSDS Number: sP20281  
Version Number 2  
Revision Date: OCT-13-2005  
Page Number: 2

-----

-----  
SECTION IV - FIRE FIGHTING MEASURES (Flash,UEL,LEL for solvent only)

Flammability Class N/A  
Flash Range: Not Applicable  
Explosive Range (LEL/UEL): Not Applicable

EXTINGUISHING MEDIA:

Dry chemical -- Carbon Dioxide -- Foam -- Water Fog

SPECIAL FIRE-FIGHTING PROCEDURES:

Treat as an oil fire, molten material is flammable  
Water may be used to cool and protect exposed containers.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Product melts in a fire becoming a flammable liquid.

-----

SECTION V - HEALTH HAZARD DATA

ROUTES OF ENTRY:

ENTRY THROUGH...

Inhalation? No | Skin? Yes | Ingestion? Yes

TARGET ORGANS...

Normal Exposure -- : NON HAZARDOUS PARAFFIN WAX  
Exposure to molten wax: Contact may cause thermal burns  
Fumes may cause tearing, irritation of nose & throat

CARCINOGENICITY...

NTP? N/E | IARC Monographs? N/E | OSHA? NO

EFFECTS OF OVEREXPOSURE

Non-Hazardous unless molten  
Inhalation: Fumes from molten material may irritate respiratory  
Skin/Eye Contact: Molten material may cause thermal burns.  
Ingestion: Accidental swallowing may cause irritation.

FIRST AID MEASURES

For hot liquid product - first cool immediately with water  
Inhalation: If affected by inhalation, remove to fresh air.  
Eye Contact: Flush with water for at least 15 minutes, and  
get prompt medical attention.  
Skin Contact: Wash skin thoroughly with soap and water.  
Ingestion: Do not induce vomiting  
call a physician.

-----

N/A= Not applicable N/AV=Not available N/E, N/est=Not established

-----

SECTION VI - STABILITY AND REACTIVITY

Stability: This product is stable

-----

MATERIAL SAFETY DATA SHEET

MSDS Name: PL(R) FI:X(R) TOUCH UP STIK Repair Pencil  
MSDS Number: sP20281  
Version Number 2  
Revision Date: OCT-13-2005  
Page Number: 3

-----  
Hazardous Polymerization: Hazardous polymerization will not occur

**INCOMPATABILITY:**

None

**CONDITIONS TO AVOID:**

None

**HAZARDOUS DECOMPOSITION PRODUCTS:**

May produce oxides of carbon and oxides of nitrogen when burned.

-----  
**SECTION VII - ACCIDENTAL RELEASE AND DISPOSAL MEASURES:**

**STEPS TO BE TAKEN IN CASE OF SPILL:**

Cold material may be picked up by hand, non-hazardous.

**WASTE DISPOSAL METHOD:**

Dispose of in accordance with Federal, State, and Local regulations.

-----  
**SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA STEL	OSHA PEL
-----------	-------------	------------	-----------	----------

**RESPIRATORY PROTECTION:**

NIOSH approved respirators recommended if vapors and mists are generated, such as from HOT molten material.

**VENTILATION:**

Not normally required.

**PROTECTIVE CLOTHING:**

Rubber gloves may be worn to protect sensitive individuals.

**EYE PROTECTION:**

Not required under normal use.

**HANDLING AND STORAGE PRECAUTIONS:**

Keep away from heat (over 100F), or flame

Keep out of the reach of children

Do not take internally.

Avoid prolonged or repeated contact with skin.

-----  
**SECTION IX - TRANSPORT INFORMATION: (not all sizes available)**

**GROUND TRANSPORT (DOT) - DOMESTIC**

Putty, Non-regulated

**AIR TRANSPORT (DOT) - DOMESTIC**

Putty, Non-regulated

**AIR TRANSPORT ( IATA ) - INTERNATIONAL**

Putty, Non-regulated  
-----

MATERIAL SAFETY DATA SHEET

MSDS Name: PL(R) FI:X(R) TOUCH UP STIK Repair Pencil  
MSDS Number: SP20281  
Version Number 2  
Revision Date: OCT-13-2005  
Page Number: 4

---

MARINE - OCEAN TRANSPORT ( IMDG )  
Putty, Non-regulated

---

SECTION X - REGULATORY INFORMATION:

California PROP.65 Chemicals: none known

Product is regulated by OSHA Hazard Communication standard (29CFR 1910.1200). However none of the five Hazard Categories (SARA 311, 312) are appropriate for this product.

SARA Section 313 toxic chemicals: NONE

All ingredients TSCA listed.

**DISCLAIMER:**

The information contained herein is based on data available as of the date of preparation of this MSDS and which we believe to be reliable. However, no warranty is expressed or implied regarding the accuracy of the data. We shall not be responsible for the use of this information, or of any product, method, apparatus mentioned, and user must make his own investigation to determine the suitability of the information or products for his particular purpose, for the protection of the environment, and the health & safety of the users of this material.